



time
saving
products

Only the
ORIGINAL is
ingenious

SCHNABL HAS THE MOST SOPHISTICATED FASTENING SYSTEM.

Schnabl is, as technological leader, the standard for ahead-thinking electrical contractors worldwide – made in Austria.

WITH THE SCHNABL
FASTENING SYSTEM
YOU SAVE UP TO 60%
OF YOUR WORKING TIME.




WE WANT TO
INSPIRE YOU.

drill



fasten



finish



With the most sophisticated plug-in system for the fastening of cables and conduits, Schnabl is, as a technological leader, the standard for ahead-thinking electrical contractors worldwide - made in Austria.

We at Schnabl are driven by the idea to make the lives of installers easier. We believe in setting new standards - we are passionately working on that. With our products the electrician saves up to 60 % of his working time. Watch the time comparison in the video. **Just scan the QR code with your smartphone or visit us: www.schnabl.works**



THE SCHNABL FASTENING SYSTEM OFFERS MANY BENEFITS.

installed quickly and easily

- > Multiple installation capacity: simply drill and fasten
- > Only one drill diameter (Ø 6 mm) for all Schnabl clips
- > Fastening elements for conduits and cables, recessed and drywall
- > Fastening on insulated ceilings and walls
- > Torque forces up to 40 kg
- > Corrosion-resistant parts
- > Temperature range from -20 to +85 °C
- > UV-stabilised and halogen-free
- > 960 °C filament also tested if desired
- > Tested by KEMA, TÜV and the 'Institut für Kunststofftechnik'
- > ●●●● Production in special colours
- > 100% recycled plastics



WE FIND SOLUTIONS.

Together with our partners, we have our ears at the market.

We find or invent solutions for our client's challenges – we don't say „it won't work“. Our focus lies on the highest possible benefit for the customer. That is why we are constantly enhancing our products – consistently and strong-willed. Our uncompromisingly high-quality standard guarantees 100% product satisfaction for the user.



-20 °C




+85 °C



960 °C



40 kg



* or simply stick with the DSN Dowel fastening nail

Only the ORIGINAL is ingenious


Order is the key to efficient work. That's not a problem - with our new floor-cable holder BSH. EC Euro Clips can be added in order to lay conduit lines alongside. You can find more ideas for quick and easy floor installation here: www.schnabl.works.



Here are our Euro-Clips EC and the new floor-cable holder BSH for quick and clean floor installation.

 **Schnabl**[®]
time saving products

SIGNIFICANT TIME SAVING AT SURFACE INSTALLATION!



At the surface installation comparison, the Schnabl EC clip in combination with the ESD Euro Fastening Anchor was compared to a dowel-and-screw plus clip combination for the installation of conduits. The big advantage of Schnabl compared to every other technique is the instant plug-in installation after drilling.

This test consisted of 40 clips installed by one installer. The installation height was 2 m 15 cm (parking deck) that could be easily reached without the use of a ladder. The clips were assembled before the installation (Screw put through the clamp into the anchoring bolt and the EC clicked on to the ESD). The holes on site were drilled using a drill stop. After that, the Schnabl EC-ESD combination was simply plugged in while the other clips were mounted using a power screwdriver. For more information about the TÜV tests, see www.schnabl.works

CONDUIT- AND CABLE INSTALLATION

The Schnabl fastening system for conduits and cables

EC EURO-CLIP + FC FLEXI-CLIP™

TWO PRODUCTS – CAN BE USED ANYWHERE!



UVB UNIVERSAL CLAMPING BRACKET

Page 11



EC EURO-CLIP

In combination with other Schnabl products, the EC Euro-Clip can be attached to different types of surfaces.



ESD EURO FASTENING ANCHOR

Page 10




Only the ORIGINAL is ingenious




ECV EURO CLIP CONNECTOR

Page 13



ESP EURO SHOOTING PLATE

Page 14




EKP EURO ADHESIVE PAD

Page 14



installed
with
system




**EDV EURO
TWIST-ON CONNECTION**

Page 11



**ESV EURO
CONNECTOR LOCK**

Page 11



FC FLEXI-CLIP™

The flexible, millimeter-accurate way of conduit mounting on all surfaces. Each type is suitable for at least two conduit sizes.

Material tested
LSFOH
according to
OVE R14



**SGC SCHNABL
THREAD CLIP**


Page 12

Material tested
LSFOH
according to
OVE R14



**GTH BASKET
TRAY HOLDER**

Page 12



**SGD HANGER
BOLT**

Page 13




**ESD-M8 EURO-
PLUG-IN DOWEL**

Page 13

CONDUIT- AND CABLE INSTALLATION

The Schnabl fastening system for conduits and cables


THE EC EURO-CLIP. EASY TO COMBINE WITH MANY SCHNABL PRODUCTS!



**KB
CABLE BRACKET**


Page 15

Material tested
LSFOH
according to
OVE R14



EC EURO-CLIP


The EC Euro-Clip can also be combined with Schnabl products for the cable installation.



**SC CLIP
FOR SHOOTING**


Material tested
LSFOH
according to
OVE R14

Material tested
LSFOH
according to
OVE R14



**KBS CABLE
BRACKET FOR
SHOOTING/DRILLING**


Page 15



**SH
CABLE HOLDER**

Page 17

Material tested
LSFOH
according to
OVE R14



one
for
all

**BSH FLOOR-CABLE
HOLDER**

Page 17



Material tested
LSFOH
according to
OVE R14



Only the
ORIGINAL is
ingenious



**AKS DISTANCE
GRIPPER CLAMP**





**DHI INSULATION
FIXING**

Page 13



**SHS CABLE HOLDER
FOR SHOOTING OR
SCREWS**

Page 17



Material tested
LSFOH
according to
OVE R14

**ESV EURO
CONNECTOR LOCK**

Page 13




CONDUIT- AND CABLE INSTALLATION

The Schnabl fastening system for conduits and cables

EC EURO-CLIP + FC FLEXI-CLIP™ ONE PRODUCT – VERSATILE IN USE!

In combination with other Schnabl products, both clips can be attached to different types of surfaces:


- 1 with the ESD Euro fastening anchor in concrete and brick
- 2 Conduits with heavy weight can be secured with the UVB Universal Clamping Bracket
- 3 with the EDV Euro twist-on connection in slotted hole on thin surfaces or cable trays
- 4 with the ESV Euro connector lock in round holes on thin surfaces or cable trays
- 5 with the GTH Basket tray holder
- 6 with the SGC Schnabl thread clip on threaded rods
- 7 with the DHI Insulation fixing on insulation
- 8 with the ECV Euro clip connector for subsequent installation on conduits
- 9 mit ESD-M8 Euro Plug-in dowel and SGD hanger bolt on insulated ceilings
- 10 with the ESP Euro shooting plate
- 11 with the EKP Euro adhesive pad for mounting on all materials
- in combination with Schnabl products for cable installation (KB, KBS, SH and SHS)
- or by simply screwing the EC Euro-Clip or FC Flexi-Clips™




1 ESD EURO FASTENING ANCHOR + EC EURO-CLIP + FC FLEXI-CLIP™

The ESD is the “clip on” fixing for the Schnabl EC Euro-Clip and FC Flexi-Clip™.

For the fastening on drywalls/gypsum fibre board, concrete, limestone, brick or aerated concrete. A bundle of cables can also be fixed using cable ties (max. 4.5 mm).



The perfect combination: ESD Euro-fastening anchor and EC Euro-Clip for efficient conduit laying. A borehole is often enough for several conduits.




CONDUIT- AND CABLE INSTALLATION

Fastening elements for conduits on different types of surfaces

2 UVB UNIVERSAL CLAMPING BRACKET + EC EURO-CLIP

With UVB, even conduits with heavy cable bundles are held securely in the EC Euro-Clip.

In combination with the UVB, the EC Euro-Clip fulfills the requirements of a closed clamp, which may be necessary at high temperatures. This prevents the conduits from slipping out.



The UVB is simply clipped onto the already assembled EC. Quick and easy unlocking is possible with a flat screwdriver.





3 EDV EURO TWIST-ON CONNECTION OR 4 ESV EURO CONNECTOR LOCK + EC EURO-CLIP + FC FLEXI-CLIP™

For the installation of conduits on all cable trays with slotted holes (EDV) and round holes (ESV) with a sheet thickness from 0.5 to 1.1 mm.

The separate cable routing to/along-side/below existing cable routes is the ideal way to relieve full cable trays.



Ideal for fixing conduits to all conventional cable trays with round holes. The ESV Euro connector lock can be attached to beam clips as well.



For all crossings below existing cable trays.

Several EC Euro-Clips can be affixed to just one EDV or ESV.

Combinable with all EC Euro-Clips.

Saving time: Up to 60 %.

CONDUIT- AND CABLE INSTALLATION

Accessories for conduit clips on basket trays · Fastening elements for conduits

5 GTH BASKET TRAY HOLDER + EC EURO-CLIP + FC FLEXI-CLIP™

Easy and cost effective solution for mounting conduits and junction boxes on cable trays.

The GTH Basket Tray Holder for the time-saving mounting of conduits on basket trays. In combination with the SDC Schnabl distribution box clip, junction boxes can be fitted on basket trays.



Incredibly easy appliance! The GTH Basket tray holder for the time-saving mounting of conduits and junction boxes on basket trays.




6 SGC SCHNABL THREAD CLIP + EC EURO-CLIP

For fastening conduits on M8-M10 threaded rods in combination with the EC Euro-Clip.

The SGC enables conduits to be routed parallel or even horizontally onto threaded rods.

Material tested
LSFOH
according to
OVE R14



For mounting conduits on to M8-M10 threaded rods.

Combinable with all Schnabl Euro-Clips EC 16-EC 50.

Quick and easy mounting.

Reliable hold.

Saving time: Up to 60 %.



CONDUIT- AND CABLE INSTALLATION

Fastenings on insulated ceilings and walls · Clip connector

7 DHI INSULATION FIXING + EC EURO-CLIP + FC FLEXI-CLIP™

With the DHI insulation fixing you just mount the electrical equipment on the insulation, no matter if conduits or cables.

The EC Euro-Clip can be attached to the DHI using an ESV. Thus, conduits can be installed on insulated ceilings and walls.




Toolless mounting in the drill hole.
100 % plastic – no thermal bridge.
Saving time: Up to 60 %.

8 ECV EURO CLIP CONNECTOR + EC EURO-CLIP + FC FLEXI-CLIP™

With the ECV Euro-Clip connection, two EC Euro-Clips or one EC Euro-Clip with a FC Flexi-Clip™ can be easily connected.

The ECV is ideal for adding conduits to existing surface installation. Simply snap the ECV on an EC or FC clip and attach another EC with a slight twisting motion.



9 ESD-M8 EURO PLUG-IN DOWEL WITH SGD HANGER BOLT + EC EURO-CLIP + FC FLEXI-CLIP™

With this product combination a simple and fast installation of conduits on insulation material.

The Schnabl Hanger Bolt SGD is by far lighter and faster installed than the usual metal fasteners and can be simply cut to length, depending on the thickness of the insulation material.



CONDUIT- AND CABLE INSTALLATION

Fastening elements for conduits on different types of surfaces

9 ESP EURO SHOOTING PLATE + EC EURO-CLIP+ FC FLEXI-CLIP™

For conduit and cable laying – in conjunction with the EC Euro-Clip system – with the help of gas or accu nail guns.


The ESP is compatible with direct fastening devices of several leading manufacturers.

DIRECT FASTENING
BY USING
GAS OR ACCU
NAIL GUNS

Made in Austria



The ESP sticks to the mouth of the gas or accu nail guns from these manufacturers leaving your hands free for mounting.




10 EKP EURO ADHESIVE PAD + EC EURO-CLIP + FC FLEXI-CLIP™

For fastening electrical lines on all surfaces where drills and screws cannot be used, e.g. on steel structures or corrugated sheets.

The EC Euro-Clip can also be mounted on steel structures or drywall using the EKP Euro adhesive pad.

Made in Austria



CONDUIT- AND CABLE INSTALLATION

Fastening elements for aligned installation of sheathed cables



KB CABLE BRACKET + EC EURO-CLIP

For aligned installation of plastic-sheathed cables. For a secure hold, a maximum drilling depth of 27 mm is sufficient.

Up to 13 lines (3 x 1.5 mm²) can be laid using the cable bracket KB 13 and up to 26 cables (3 x 1.5 mm²) with the cable bracket KB 26.

KB Cable brackets were developed for aligned installations of cable bundles. An additional EC Euro-Clip for conduit installation can be mounted at the KB.

== Made in Austria





KBS CABLE BRACKET FOR SHOOTING OR SCREWING + EC EURO-CLIP

For the aligned installation of plastic-sheathed cables for screw or shot attachment onto wood and concrete.


The KBS is compatible with direct fastening devices of several leading manufacturers.

With the help of one or more EC Euro-Clips, up to three conduits can be attached to the KBS.

== Made in Austria



FANTASTIC TIME SAVINGS WHEN LAYING MULTIPLE SHEATHED CABLES.



Especially when it comes to multiple cable laying the big gain of time when using Schnabl products becomes apparent. The conventional method using cable trays is complicated, strenuous and time-consuming. Contrary to the installation with Schnabl. **Drill. Fasten. Finish!**

For this time comparison, sheathed cables are installed over a length of 90 metres. One time conventionally using cable trays, bars and rods and one time by using the Schnabl plug-in system with the cable holder SH 80. Find further information in regards to the TÜV-Tests at: www.schnabl.works

CONDUIT- AND CABLE INSTALLATION

Fastening elements for aligned installation of sheathed cables

Material tested
LSFOH
according to
OVE R14

SH CABLE HOLDER + EC EURO-CLIP

For the multiple carrying of up to 80 plastic-sheathed cables with Ø 10 mm. For a secure hold, a maximum drilling depth of 27 mm is sufficient.

Even when installed, the cable holder can be easily opened and closed again. The possibility of adding EC Euro-Clips makes the cable holder even more efficient.




- Easy to re-open.
- Reclosable mechanism.
- Option to fit the EC Euro-Clip.
- Massive cost saving.

SHS CABLE HOLDER FOR SHOOTING OR SCREWS + EC EURO-CLIP

For quick and easy multiple carrying of up to 35 sheathed cables (Ø 10 mm) using common direct shooting fastening systems or simply with screws on wood or metal.

The SHS is compatible with direct fastening devices of several leading manufacturers.

== Made in Austria





The possibility of adding a second SHS as well as the Schnabl EC Euro-Clip makes the SHS cable holder even more efficient.

BSH FLOOR CABLE HOLDER + EC EURO-CLIP

The new cable holder for the quick floor installation using gas or accu nail guns or the DSN Dowel fastening nail.

The possibility of adding several EC Euro-Clips makes the floor-cable holder even more efficient.

== Made in Austria



Only the original is ingenious.

CONDUIT- AND CABLE INSTALLATION


Clips for sheathed cables · Fastener for cable trays

DKS DOWEL CLAMP + FS FIXING MOUNTING BASE

For the installation of single cables and cable bundles, such as antenna cables, telephone lines, etc.

One drill-hole will do. The special eccentric teeth of the DKS Dowel clamp are friction-locked with the drill-hole and withstand tensile forces up to 40 kg.

Made in Austria





Good cable tension options with the DKS. When laid, the strap is barely visible.

With the FS Fixing mounting base in connection with the DKS Dowel clamp, the effortless mounting of thermal conduction cables with a fixed distance of 8 or 15 mm to the ceiling is possible.

UBK UNIVERSAL FASTENER FOR CABLE TRAYS

For the secure attachment of lights, presence and smoke detectors as well as junction boxes on all common cable trays with oval holes with a sheet thickness of 0.5 to 1.1 mm.

Made in Austria




Die UBK bietet eine ideale Lösung zur Entlastung von voll belegten Kabeltrassen und ermöglicht eine einfache und schnelle Nutzung der vorhandenen Kabeltrasse als Installationsort.

SDC SCHNABL DISTRIBUTION BOX CLIP

Save time and energy when installing junction boxes onto cable trays.

SDC offers a time- and effort-saving installation of junction boxes onto cable trays.

Made in Austria



CABLE INSTALLATION/METAL FASTENING ELEMENTS

Dowel fastening nail for mounting cable ducts

Dowel fastening nail, ceiling nail and setting tool for the functional integrity

DSN DOWEL FASTENING NAIL

Dowel fastening nail for fixing cable trunking, for smoke detectors and small lamps.

Mounted parts are firmly fixed thanks to the nail head's special shape.

Made in Austria



With the DSN 30 and DSN 40 you will successfully fasten fire detectors, lamps and sockets „at the push of a thumb“. With the new, adapted head, the DSN locks onto the BC Basis-Clip with one click.



MDSN METAL DOWEL FASTENING NAIL

For mounting fire resistant clips and cable holders according to DIN 4102-12.

Utilising the special design of the expansion element, the fastening elements are securely retained in place.

For the assembly no anchors, no screws and no other tools are needed.

Made in Austria



60 % saving on current fix times.

Made from stainless steel.

Tested on fire resistance F30 to F120.


Suitable for all clips and cable holders tested according to DIN 4102-12.

Can be used in all fire resistance classes! F30/F60/F90/F120

MND CEILING NAIL + SWZ SETTING TOOL FOR MND

For fastening all attachments according to DIN 4102-12.

The MND Ceiling nail is suitable for fastening electrical lines and equipment incl. fire resistant cable clips, cable brackets and cable holders, but also for mounting other parts up to 5 mm thickness.



Suitable for DIN 4102-12 fire resistant cabling




Large nailhead – easy impact assembly with a hammer or setting tool.

Low drill depth.

Spreading with cone and clip.

UP TO 60 % TIME SAVING AT IN-WALL INSTALLATION!



The installation of in wall flexible tubes using cement/gypsum is cumbersome and a lot more time consuming compared to the Schnabl method. Schnabl could prove this fact from the latest comparison approved by TÜV Austria **with a clear result.**

The testing of both methods was done by the same installer on a construction side of a two room apartment. The trenches were chased in advance with enough space for the flexible tubes. The installation site was cleaned before the testing commenced. Flexible tubes were the only installation material allowed. The test was finished when the site was ready for rendering (nails and other aides had to be removed). For more information about the TÜV tests, see www.schnabl.works


FLOOR-, SURFACE- AND RECESSED INSTALLATION

Fastening elements for aligned installation of sheathed cables and flexible conduits

TA SUPPORT ANCHOR + TB TERRACE BRACKET + STA SUPPORT ANCHOR FOR SHOOTING

Cables in flexible conduits are now installed simply, tidy and fast even in-wall without plastering and for the floor installation without punched tape.

The TB Terrace bracket is locked on the TA Support anchor. Several TA's can be added on one TB, so cable laying is possible in several layers. Conduits can be re-arranged and tightened.



The same Schnabl system is also suitable for terrace installation of flexible tubing, cables and conduits. Extra conduits can also be added easily.





For recessed installation and for the time saving floor installation without punched tape.

USA AUTOMATIC RECESSED CLAMP

For the simple laying of flexible conduits without plastering, on plasterboard, concrete and hollow brick.

The USA automatically closes around the laid conduit. This clip is available in three ranges with two different dowel lengths, but all are suitable for holding two conduits dimensions. The USA can easily be opened without a tool.



RECESSED INSTALLATION

Recessed clips for flexible conduits with no plastering

USE RECESSED CLAMP SINGLE


For the simple laying of flexible conduits without plastering.

The clip is available in three dimensions and is suitable for holding two conduit sizes.



== Made in Austria

Simply brilliant: the integrated fin on the interior side of the clip enables the conduit to tense between the two clips for easier cable insertion.



USD RECESSED CLAMP DOUBLE

For the simple laying of flexible conduits without plastering.

Two conduits are mounted at the same time with the USD with just one borehole.



== Made in Austria

Thanks to the integrated fin on the interior clip side, the conduit can be tensed for easier cable insertion.



always
without
gypsum



Only the
ORIGINAL is
ingenious

Our terrace brackets guarantee a secure hold for a wide range of conduit and cable sizes without the need of plastering. In combination with the new STA support anchor for direct fastening, conduits can be fixed on the floor with just one shot – without any perforated banding. The installation will not be damaged. Find more clever ideas for the quick and easy installation of cables and conduits here: www.schnabl.works.



Our terrace brackets TB 10 and TB 20 with support anchors TA and the support anchor for direct fastening STA.


 **Schnabl**[®]
time saving products

RECESSED INSTALLATION

Special applications

LB LANCE DRILL



For the exact hole in hollow bricks, tiles and earthenware.



UPD FLUSH SOCKET COVER + ACCESSORIES

For an easy finding of the flush socket after plastering. With practical UDZ - for easy exposure of the flush-mounted boxes!

Regardless of the manufacturer of in-wall junction boxes you choose, the UPD universal plastering cover is suitable for many common types of boxes.



Easy finding of the socket cover is secured by numerous special markers.

Cost saving by much faster drilling-out of the UPD.

No construction waste removal.

Exact, circular hole edge.

No amendment of chipped edges.

Re-usable.

MAD PAINT COVER

For a quick and easy covering of switch and socket inserts from paint.





INSTALLATION IN DRYWALL / FERMACELL

Clips, fastening elements and aids for drywall

CF C-FIX FOR IMPACT MOUNTING

For fastening conduits and cable lines at the inner side of drywall and even on construction wood. **The C-Fix fits perfectly for hammer-fastening on fire protection walls (from Rigips and Knauf).**

With C-Fix, conduits can be mounted to drywalls easily without drilling. The unique shape ensures a firm grip and leaves the outer wall undamaged.



No drilling.
You just need a hammer!

The front side of the wall remains undamaged.


Conduits are firmly held in place.

Corrosion protected according to ÖNORM B 3415.

PD BOARD ANCHOR FOR DRYWALL AND WOODWOOL SLABS

For the attachment of electrical equipment to plasterboard and woodwool slabs. **The PD fits perfectly for hammer-fastening on fire protection walls (from Rigips and Knauf).**

Hit the PD with a hammer into the plaster or woodwool slab. By tightening the screw, the anchor braces into wall and thus withstands tensile forces of 40-50 kg.



Easy application.

Stable mounting - high torque forces.

Easy disassembly.

Hardly any damage after disassembly.



screw on
fix
finished

NEW!

With the telescopic rail TS flexible conduits can easily and quickly be installed in drywalls, e.g. above or below distribution boxes. Find more ideas for quick and easy conduit laying here: www.schnabl.works.



Our telescopic rail TS for fastening flexible conduits in drywalls.

 **Schnabl**[®]
time saving products

SCHNABL PRODUCTS AT A GLANCE

Once you've worked with them you'll never go back!




CONDUIT INSTALLATION

EC Euro-Clip	EDV Euro twist-on connection	AKS Distance gripper clamp
SC Clip for shooting	ESV Euro connector lock	RK Conduit claw
UVB Universal clamping bracket	SGC Schnabl thread clip	ESS Single fastening clamp
FC Flexi-Clip™	ECV Euro clip connector	DSS Double fastening clamp
BC Basis-Clip	ESP Euro shooting plate	DSA Double fastening clamp with spacer
ESD Euro-fastening anchor	EKP Euro adhesive pad	



CABLE INSTALLATION

DKS Dowel clamp	KBS Cable bracket for shooting/drilling	SD Plug-in dowel nail
FS Fixing mounting base	SH Cable holder	MDSN Metal dowel fastening nail
DSS Double fastening clamp	SHS Cable holder for screws	MND Ceiling nail
KB Cable bracket	DSN Dowel fastening nail	SWZ Setting tool for MND



FLOOR-, SURFACE- AND RECESSED INSTALLATION

TAP Support anchor panel	BSH Floor-cable holder	STA Support anchor for shooting	USE Recessed clamp single
BSH Floor-cable holder	TA Support anchor	USD Recessed clamp double	UPC In-Wall Clip
TA Support anchor	TB Terrace bracket	USA Automatic recessed clamp	
STA Support anchor for shooting			
USE Recessed clamp single			
USD Recessed clamp double			
UPC In-Wall Clip			
USA Automatic recessed clamp			




INSTALLATION IN DRYWALL

USA Automatic recessed clamp	SBA Schnabl drill stop
CF C-Fix	TS Teleskopschiene
PD Board anchor	



SPECIAL APPLICATIONS


Fastening for cable trays	Fastening of junction boxes	Drilling in hollow building blocks, ceramic tiles, glass
UBK Universal fastener for cable trays	SDC Schnabl distribution box clip	LB Lance drill
Fastening on insulations	Fastening in concrete	Special solutions for electrical installation
DHI Insulation fixing	SBC Schnabl wire mesh clip	SGD Hanger bolt
Fastening on cable trays	Special solution for recessed installation	ESD-M8 Euro fastening anchor
GTH Basket tray holder	UPD Flush socket cover	FKE Flat cable bracket



FINDING PRODUCTS MADE EASY.

It's only a few clicks to the suitable Schnabl products.


The new, intuitively operable Schnabl App makes it easy for you to find exactly the right product for your working area out of more than 200. Download this handy app to your phone now!



Finding products made easy.
With the Schnabl App for Android and iOS.



Schnabl Stecktechnik GmbH, Bahnhofplatz 1, po box 63, 3100 St. Pölten, Austria
Telephone +43 2742 22167-0, office@schnabl.works, www.schnabl.works



UW-Nr. 609

